


SHEPODY Bake King x F58050

Early maincrop maturity producing high yields of large long oval tubers. Good resistance spraing. Moderately susceptible to late blight on foliage and tubers and potato virus Yo. Susceptible to gangrene and potato cyst nematode *Globodera rostochiensis* Ro1 and *Globodera pallida* Pa 2/3,1. Medium to high dry matter with good fry colours.



Tuber characteristics

Smoothness of skin	Medium
Shape of tuber	Long
Depth of eyes	Shallow - medium
Colour of skin	Cream
Colour of flesh	Cream

Botanical description

Maturity	Early Maincrop
Height of plants	Tall
Frequency of berries	Absent
Colour of flowers	Red violet
Colour of sprout	Pink

Resistance to Damage, Pests and Diseases	Low	High
Late blight on foliage (<i>Phytophthora infestans</i>)	.	2							
Late blight on tubers (<i>Phytophthora infestans</i>)	.	.	3						
Powdery scab (<i>Spongospora subterranea</i>)	5				
Blackleg (<i>Pectobacterium atrosepticum</i>)	6			
Common scab (<i>Streptomyces scabiei</i>)	6			
Potato Cyst Nematode (<i>Globodera pallida</i> Pa 2/3, 1)	.	2							
Potato Cyst Nematode (<i>Globodera rostochiensis</i> Ro1)	.	2							
Potato Leafroll Virus	6			
Potato Virus Yo	.	.	3						
Bruising	6			
Splitting	6			